

ART OF PERFECTION

**F** FRONT LINER  
A Product by SPI  
DECORATIVE LAMIANTE



CRAFTED TO CATCH ATTENTION

GOLD FOIL


ART OF PERFECTION

UV

ART OF PERFECTION




A Product by SPI  
**FRONT LINER**  
DECORATIVE LAMIANTE



A Product by SPI  
**FRONT LINER**  
DECORATIVE LAMIANTE



CRAFTED TO CATCH ATTENTION





## ABOUT U S

Front Liner Laminates is a leading provider of high-quality laminates for residential and commercial spaces. With a commitment to innovation and sustainability, we offer a wide range of aesthetically pleasing and durable laminate products that cater to various design needs. Our team of experts is dedicated to ensuring that every client receives personalized attention and support, from product selection to installation. At Front Liner Laminates, we are committed to deliver top-notch products and transparent services to create a lasting impression.



BLENDING  
FINE DESIGN  
WITH  
RICH COLORS





3147 | MT



3105 | MT



3141 | MT



10016 | MT



3144 | MT



3143 | MT



3139 | MT



3142 | MT



90w x 210h mm

3145 | MT



90w x 210h mm

3140 | MT



3118 | MT



3111 | MT



3110 | MT



3127 | MT




3117 | MT



3128 | MT



3126 | MT



3129 | MT



3132 | MT



3113 | MT



3131 | MT



3118 | MT




3115 | MT  
DARK FABRIC



3116 | MT  
LIGHT FABRIC



3146 | MT  
DARK KHADI



3119 | MT  
LIGHT KHADI



3149 | HG  
MARBELLO



3148 | HG  
MARBELITE



90w x 60h mm

3101 | HG  
WHITE



90w x 60h mm

3133 | HG  
RED



90w x 60h mm

3135 | HG  
GREEN




90w x 60h mm

3102 | HG  
FROSTY WHITE




90w x 60h mm

3134 | HG  
YELLOW



90w x 60h mm

3136 | HG  
BLUE



90w x 60h mm

3137 | HG  
ORANGE



3138 | HG  
BLACK CURRENT

## Technical Specifications

PROPERTIES	SPECIFIED VALUES AS PER IS:2046-1995	FRONT LINER CONFIRMS
Resistance to surface wear	>200 (revolution)	✓
Resistance to immersion in boiling water - Mass increase (%) - Thickness increase (%)	8 Max 10 Max	✓
Resistance to dry heat 180° C	Not worse than 4	✓
Dimensional stability at deviated temperature - Longitudinal (%) - Transverse (%)	0.5 Max. 0.9 Max.	✓
Dimensional stability at 20° C - Longitudinal (%) - Transverse (%)	0.375 Max. 0.60 Max.	✓
Resistance to impact by small diameter ball	17.5N Min.	✓
Resistance to cracking	Not worse than 4	✓
Resistance to scratching	2N Min.	✓
Resistance to Staining	Not worse than 5	✓
Resistance to colour change (wool standards) - In Xenon arc light - In enclosed carbon arc light	Not worse than 6 Not worse than 5	✓
Resistance to cigarette burns	Not worse than 3	✓
Resistance to steam	Not worse than 4	✓
Appearance	Should be free from foreign particles	✓

### PRODUCT SPECIFICATION:

PRODUCT : High pressure decorative laminated sheets  
 Size : 2440 X 1220 mm

Maintenance : Clean with mild soap solution or house hold detergent, abrasive cleaners should not be used, it is recommended for vertical use only. Avoid direct sunlight.

Resistance : To surface wear, immersion in boiling water, dry heat, impact by small dia. ball, cigarette burns, staining, scratches, colour change in xenon light.

The Samples showed in the shade Chart are only indicative of the colour patterns and shades available.